MAXFORCE®

ACCEPTED FOR REGISTRATION March 21, 2024

New York State Department of Environmental Conservation Division of Solid & Hazardous Materials

Pesticide Product Registration

Doc. ID 592696

Envu and the Envu logo are trademarks and Maxforce® is a registered trademark owned by Environmental Science U.S., LLC or one of its affiliates.

ONU

PRODUCED FOR Environmental Science U.S., LLC 5000 CentreGreen Way, Suite 400 Cary, NC 27513 Product of Germany · Keeps on working for up to 3 months.

· Effective indoors and outdoors.

Kills the gueen and the colony.

ACTIVE INGREDIENT: Imidacloprid,

100.00%

TOTAL:

EPA Reg. No. 101563-140 EPA Est. No.

STOP-Read The Label Before Use KEEP OUT OF REACH OF CHILDREN CAUTION

Si usted no entiende la etiqueta, busque a alguien para que se la explique a usted en detalle. (If you do not understand the label, find someone to explain it to you in detail.)

For MEDICAL and TRANSPORTATION Emergencies
ONLY Call 24 Hours A Day 1-800-424-9300
For PRODUCT USE Information Call 1-800-331-2867

See Panel for First Aid Instructions and Booklet for Complete Precautionary Statements and Directions for Use

SKU # 81706816 81783756E 221216AV2 Net Contents: 120 Grams (4.23 Oz)





MAXFORCE

Quantum Ant Bait

See Panel for First Aid Instructions and Booklet for Complete Precautionary Statements and Directions Pull to open 🕨

81784388F 221216AV2

 Keeps on working for up to 3 months. PRECAUTIONARY STATEMENTS FIRST AID HAZARDS TO HUMANS AND DOMESTIC ANIMALS Effective indoors and outdoors Kills the gueen and the colony. If on skin Take off contaminated clothing. CAUTION Harmful if absorbed through skin. Harmful if swallowed. Rinse skin immediately with plenty of water for 15-20 minutes. ACTIVE INGREDIENT: Imidacloprid, 1-[(6-Chloro-3- Call a poison control center or doctor for treatment advice. Causes moderate eve irritation. Avoid contact with skin. pyridinyl) methyll-N nitro-2-imidazolidinimine......... 0.03% eves, or clothing. Wash thoroughly with soap and water OTHER INGREDIENTS: Call a poison control center or doctor immediately for treatment advice. after handling and before eating, drinking, chewing gum, or TOTAL: 100.00% · Have person sip a glass of water if able to swallow. swallowed: using tobacco. Remove and wash contaminated clothing Do not induce vomiting unless told to do so by a poison control center or doctor. EPA Reg. No. 101563-140 hefore reuse . Do not give anything by mouth to an unconscious person. PHYSICAL OR CHEMICAL HAZARDS STOP-Read The Label Before Use Do not use this product in or on electrical equipment KEEP OUT OF REACH OF CHILDREN If in eyes: Hold eve open and rinse slowly and gently with water for 15-20 minutes. where a possibility of shock hazard exists. CAUTION Remove contact lenses, if present, after the first 5 minutes, then continue rinsing. **DIRECTIONS FOR USE** Call a poison control center or doctor for treatment advice. Si usted no entiende la etiqueta, busque a alquien para que It is a violation of Federal law to use this product in a se la explique a usted en detalle. (If you do not understand Have the product container or label with you when calling a poison control center or doctor or going for treatment. In case of emergency call toll free the Environmental Science U.S., LLC Emergency Response manner inconsistent with its labeling. the label, find someone to explain it to you in detail.) Read entire label before using this product. For MEDICAL and TRANSPORTATION Emergencies ONLY Telephone No. 1-800-424-9300. INFORMATION Call 24 Hours A Day 1-800-424-9300 Note to Physician: No specific antidote is available. Treat the patient symptomatically. Use sites include residential buildings, schools, commercial For PRODUCT USE Information Call 1-800-331-2867 and industrial buildings (e.g., warehouses, supermarkets,

laboratories, computer facilities, pet shops, zoos, food Maxforce Quantum Ant Bait controls a broad spectrum locate the hole in the center of the card; push the unopened processing plants, food handling/storage establishments) of ants. Species attracted to and controlled by this bait Maxforce Quantum Ant Bait applicator tip through the hole include: Acrobat ants, Argentine ants, Big-Headed ants, as far as it will go; cut the tip from the opposite side with a and transportation equipment (e.g. aircraft, trains, ships, Black Garden ants, Crazy ants, Ghost ants, Little Black ants, appropriate cutting tool. boats, buses, cars, trucks, vans, and recreational vehicles). Odorous House ants, Pavement ants, Pharaoh's ants, Rover Application Rates Maxforce® Quantum Ant Bait is a ready-to-use bait Place bait in areas of known foraging activity, along foraging ants. Thief ants. or White-Footed ants. These and other ant formulation for the control of ants, (excluding fire, species that are attracted to sweets and moisture will be trails and into nest sites. A careful inspection will help to carpenter, and harvester) and can be used in both outdoor attracted to and controlled by this bait. identify sites suitable for bait placement. Apply bait into and indoor locations. Containing imidacloprid, this bait APPLICATION INFORMÁTION cracks, crevices, holes, or other small openings where antiresists drying out and remains palatable to ants for up to **Bait Application** travel. Apply bait in small spots or beads on horizonta 3 months in indoor environments To open the Maxforce Quantum Ant Bait applicator, remove surfaces wherever possible, as bait will not adhere well to Maxforce Quantum Ant Bait is designed to take advantage the cap and use a sharp knife (razor knife, box cutter, shears. vertical surfaces. The amount of bait required for effective of trophallaxis (food exchange) in ants, allowing for transfer or similar tool) to make a cut through the applicator tip. control will depend on the severity of the ant infestation; the of imidacloprid within the ant colony. Foraging ants that feed on the hait will return to the nest and transfer the bait Make the cut to create an opening 1/8th inch in diameter total amount of bait applied must not exceed the application in the tip. This may be accomplished by making the cut rate outlined helow to the queen(s) and the entire colony. Dead worker ants and approximately 4 inch from the end of the closed (uncut) Indoors, apply at rates up to 2.0 g per 100 sg ft of floo a reduction in ant numbers should be noticeable within a

applicator tip. You may also use the labeled 'cut card' that is

Formulated to be attractive to many species of pest ants.

restaurants, motels, hotels, hospitals, nursing homes,

few days.

included in the Maxforce Quantum Ant Bait case package

space. For example, apply 10 x 0.2-q bait placements (ca

areas where ants are seen or reported to be foraging. or stoves, in bathrooms, and in garbage collection areas. reservoir. Close bait station securely after application. Outdoors, apply spots or beads of bait up to 0.2 g of bait Make bait placements where ants may be entering the During follow up visits inspect placements and reapply per placement in areas where ant activity is observed. structure, around plumbing pipes, utility lines, doors, or as needed At the entrance to ant nests, inject up to 2.0 g of bait windows Place stations near ant trails, nest sites, where ants are directly into nest entrance. Use as a spot or crack and crevice treatment to control actively foraging or suspected areas of ant activity. Along active foraging trails apply 0.6 g of bait per 10 ants in residential structures and in non-food /non-feed Stations may also be placed along fence lines and property linear feet of ant trail, distributing the bait in a number areas of commercial, industrial, public and institutional lines to intercept foraging ants entering the property. of spots or in a series of small beads (1/8 inch wide. buildings. Nonfood/non-feed areas include areas such as and 1 to 2 inches long) next to foraging trails. garbage rooms, lavatories, floor drains (to sewers), entries Indoor Use Directions During follow up visits inspect bait placements and reapply and vestibules, offices, locker rooms, machine rooms, boiler Indoor applications are limited to areas that are as needed: reapply bait in the same location if all the bait rooms, garages, mop closets, and storage (after bottling or inaccessible to children or pets, such as cracks, crevices, is gone or in a different area if no ant activity is evident. canning). Refer to section below for use directions and wall voids, unfinished attics, crawl spaces, refillable bait restrictions when making applications in food/feed handling stations [see above] and behind electrical switch plates.

Apply Maxforce® Quantum Ant Bait in small amounts

(continued)

REFILLABLE STATIONS: Maxforce® Quantum Ant Bait

may be placed into refillable bait stations designed for interior or exterior/perimeter use; when placing bait in the station, do not exceed the capacity of the station's

(continued)

1/4 inch "spots") in a 100 square foot kitchen in the

between different elements of construction, behind or beneath equipment, behind baseboards or molding, at openings into voids, and within hollow spaces in equipment

areas of Food/Feed Handling Establishments.

bases and legs, walls, floors, ceilings, cabinets, near sinks

FOOD/FEED HANDLING FSTABI ISHMENTS:

Application in food/feed areas of food/feed handling establishments is limited to crack and crevice treatment only.

Do not apply bait to areas where food/feed, food utensils, or food processing surfaces may become contaminated. Do not apply bait in cracks and crevices of areas that are routinely washed, tops of tables, food/feed preparation, and prepared food/feed holding surfaces as bait may be removed by washino. Care must be taken to avoid

depositing bait onto exposed surfaces. If bait contacts

an exposed surface, remove it and wash exposed surface.

Food/feed areas include areas for receiving,

storage, packing (canning, bottling, wrapping,

boxing), preparing edible waste for storage, and

FOOD/FEED HANDLING ESTABLISHMENTS: (continued)

enclosed processing systems (mills, dairies, edible oils, syrups). Serving areas are also considered a food/feed area when food is exposed and facility is in operation. Application of this product in food/feed areas of food/ feed handling establishments other than as a crack and crevice treatment is not permitted.

Outdoor Use Directions

A careful inspection around a structure can help identify areas where ants are nesting, actively foraging, or are gaining access to the structure. Place bait on or adjacent to the structure where you observe ants or to areas of suspected ant activity to control ants before they enter the structure. Place bait in cracks and crevices (in brick

trails are evident. To maximize residual effectiveness. apply Maxforce Quantum Ant Bait in locations that are protected from direct sunlight and rain or irrigation. Make snot treatments outdoors where ants are seen. next to ant trails and suspected areas of ant activity. Likely locations for bait placements are points of entry into structure (e.g., along windows, doors, between construction elements) and areas where ants may find water (e.g., eaves, soffits, weep holes), and especially where wires or pipes enter the structure. Bait can also be applied at trees, stumps, roots, wood decks, fences, planter boxes, woodpiles, landscaping, and railroad ties where ants may build nests.

walls, between payement slabs, in tree holes, under

stones, etc.) where ants are seen to be active or ant

(continued

14

Directions for preparing diluted liquid Maxforce Quantum Ant Bait

For outdoor use only in management programs designed to control large populations of multiple gueen and/or multiple colony ant species, such as Argentine ants or crazy ants (excluding fire, carpenter, and harvester).

Prepare a 25% sugar water solution (for example, 8 oz of granulated sugar in 1 gt of water) and mix well until the sugar is thoroughly dissolved. Mix ONE PART Maxforce Quantum Ant Bait in NINE PARTS sugar water (for example, one package of Maxforce Quantum Ant Bait in 1 gt of sugar water), to prepare the liquid bait containing 0.003% (30 ppm) imidacloprid.

for extended periods of time: the dilute sugar solution

can be spoiled after a few days by mold and/or bacterial arowth. After dilution, apply the liquid bait via an appropriate bait

 Do not apply bait to areas where food/feed utensils or processing surfaces may become contaminated. Product may stain textiles, clothing and porous Only mix this liquid bait right before use and do not store surfaces: if concerned for risk of staining apply a

infestation persists.

USE RESTRICTIONS

small amount of product in an inconspicuous location before treating wider areas.

Antonia Bait Station, or equivalent.

 Do not apply this product, by any application method, to linden, basswood, or other Tilia species.

station which securely holds liquids, such as KM Ant Pro.

Use as many stations as deemed appropriate, adjusting

to the scale of infestation or size of property, but do

not exceed 1 station per 25 ft of building perimeter.

Replenish liquid bait as needed, so long as ant

. Do not apply bait in locations that are easily

place bait out of reach of pets and zoo animals.

accessible to children and pets. In pet shops and zoos

STORAGE AND DISPOSAL Do not contaminate water, food, or feed by storage.

PESTICIDE STORAGE Store in a cool, dry area out of reach of children.

disposal, or by cleaning of equipment.

down any indoor or outdoor drain.

PESTICIDE DISPOSAL Waste resulting from the use of this product may be disposed of on site or at an approved waste disposal

facility. CONTAINER HANDLING

Non-refillable container. Do not reuse or refill this container

If Empty: Place in trash or offer for recycling if

available If Partly Filled: Call your local solid waste agency for disposal instructions. Never place unused product

STATEMENTS **HAZARDS TO HUMANS AND** DOMESTIC ANIMALS CAUTION Harmful if absorbed through skin. Harmful if swallowed, Causes moderate eve irritation. Avoid contact with skin,

PRECAUTIONARY

eves, or clothing, Wash thoroughly with soap and water after handling and before eating, drinking,

chewing gum, or using tobacco. Remove and

wash contaminated clothing before reuse.

81784388F 221216AV2